Triplex™ MSLV System Combining European Aesthetics & American Technology CHART FRIANGULAR HARDENED PLASTIC TEETH SUPER LUX® V **Male Anteriors MAJOR DENT® V Female Anteriors** JUSTI TRIPLEX™ **MSLV Posteriors** 0° - 10° - 20° - 33°







The Triplex MSLV System

Justi, the inventors of multi-layered hardened plastic teeth have developed a unique new system. The Triplex System features the natural looking characterization found in European-manufactured anteriors along with the full range of anatomical occlusion in the posteriors required by modern dental professionals.

Combining male and female anterior maxillary and mandibular tooth lines manufactured by Major in Italy, and posteriors manufactured by Justi in California, the Triplex system is a unique line of teeth for modern users. The line can be used effectively for any type of partials and implant dentures, as well as for personalized custom dentures.

Justi is the world's largest manufacturer of unique tooth molds. You may request our catalog by calling our toll-free number at (800) 235-4639, via fax at (805) 483-8482, or by e-mail at: info@americantooth.com.








Using the tools of their forebearers, the human eye and hand, our craftspeople carry on the Justi tradition of excellence.




©2005 All rights reserved. No part of this mold chart may be reproduced without written permission from American Tooth Industries. Justi®, TriplexTM MSLV, Super Lux®, and Major Dent® are licensed trademarks of American Tooth Industries. Vita® is not a trademark of American Tooth Industries.

Super Lux V A1-D4 (Male Molds) Anteriors

Super Lux V A1-D4 Teeth are designed for the discriminating technician who insists on the very best quality. These teeth have been formulated using unique European designs and are fabricated from the highest quality of hardened plastics. They are layered to duplicate the vitality and function of natural dentition. They are produced in 12 shades to be used with Justi Triplex MSLV Posteriors. Four-layered acrylic tooth, available in the following shades: A1, A2, A3, A3.5, A4, B2, B3, B4, C1, C2, C4 and D4.





Triplex MSLV System Shade Guide

Group/Item #085-01578/SMT

The Triplex MSLV System Shade Guide, made in 12 Vita-type shades: A1, A2, A3, A3.5, A4, B2, B3, B4, C1, C2, C4, and D4 is manufactured by Justi to be used for Super Lux V, Major Dent V and Triplex MSLV Posteriors. A comparison of the Triplex Shades with other European and U.S.

tooth brands is found below:



HOW TO SELECT PROPER SUPER LUX MALE ANTERIOR MOLDS

Mold selection methods based on a Justi (American Tooth Industries) U.S. Patent Filing Serial #75/545,949. Super Lux V Anterior Maxillary mold choices are based on four well known reference methods which are suggested to end users to facilitate denture fabrication.

1

Interpupillary width method.

Interpopillary width	Upper anterior central width range min	Mald Form	•			
46/49	6,90,77,60	50	1/30	1/32 1/20	_	
50/52	7,90/8,00	1/44 1/13	56 58		_	
53/54	8,00/8,30	1/47	52	1/35 1/22 53 1/	/25	
55/56	8,30/8,60	1/17	1/48 1/37	1/25		
57/61	8,60/9,40	1/40 1/49	59	1/27 62	_	

6 3

2

Nose ala method.

Honer anterior mould orth range	Med fore					
nm	A	•	•			
37,5/40,7	50	1/30	1/20			
40,4743,2	1/44 1/13	56 52	1/32			
42.2/44,5	1/13	58 52	1/35 1/22 1/25			
44.0/47,2	1/47 1/17	1/48 1/37 59	1/25 1/53			
46,7/49,8	1/40 1/49		1/27 62			
	37,5/40,7 40,4/43,2 42,2/44,5 44,0/47,2	787 50 37.5/40,7 50 40.4/43,2 1/44 1/13 42.2/44,5 1/13 44.0/47,2 1/47 1/17	Upper amenior mould arch range min 37,5/40,7			

3

Known lower anterior central width method.


Lower anterior central width range	Upper anterior central width range min	Mold Form	1	•					
4,5/4,7	6,70,7,60	50 1/44		1/30 56			1/32		
4,8/4,9	7,20/8,00	1/44 1/13	9	6 58	52	1	1/32	1/29	
5,0/5,1	7,50/8,30	1/44 1/13 1/47	9	6 58	52	1,120	1/35	1/2	2 53
5,2/5,3	7,80/8,50	1/47	58 5	ē 1)	48 1/37	1/35	1/22	53	1/25
5,4/5,7	8,30/9,30	1940 1949 1917	1/4	8 1/3	37 59	1/2	7 6	2 1/3	25


4

Superior cast triangle perimeter method.

Perimeter range mm	Upper anterior mould arch range mm	Mold Form		•						
111/120	36,7/40,0	90		1/30					_	
120/125	40,0 / 42,0	1/44		98			1/20	1/32		
126/130	42,0 / 43,3	1/44 1/13	56 58 52			1/35				
130/135	43,3/45,3					1/35	1/22	1/25	53	
136/140	45,3 / 46,7	1/47 1/17	1,48	1/37	59					
140/145	46,7 / 48,7	1/40 1/49					1/2	7		
146/155	48,7/52,0	1/49					6	2		

The Facial Indicator





Facial Indicator

A universal instrument used for the selection of anterior molds. There are three main factors to be considered in the selection of anterior teeth: size, form, and color. When there is no record of the patient's natural teeth, the selection of artificial molds becomes an aesthetic challenge.

Following the method of tooth form selection advocated by J. Leon Williams, this instrument proves helpful and produces harmonious results in a vast majority of cases.

The instrument is based on the premise that there are three types of facial structures and three corresponding types of teeth: square, tapering, and ovoid.


The Facial Indicator will assist in selecting the size and shape of the upper central incisors, however, the following factors should be considered:


• Size of the Face • Size of Maxillary and Mandibular anterior arch from cuspid to cuspid area • Amount of intermaxillary space. Group/Item #073-D119CP001

Complete Articulation Chart										
I	ANTERIORS	-		POSTERIORS						
Upper Molds	Articulates Lower Anteriors	0 Degree	10 Degree	20 Degree	33 Degree Anatomical					
Sup	per Lux V		Triplex MSLV							
50	0/3	29MF	30F	29M or 29L						
1/44	0/4, 0/5	31MF	30F	31M or 31L	30					
1/13	0/5	31MF	30F	31	30					
1/47	0/8, 0/6	31MF	32F	31	32					
1/17	0/8, 0/10	31MF	32F	31	32					
1/40	0/10, 0/11	31MF	32F	31	32					
1/49	0/10, 0/11	31MF	32F	31	32					
1/30	0/3	29MF	30F	29						
56	0/0, 0/4	29MF	30F	29						
58	0/6	31MF	30F	31	30					
52	0/53, 0/6	31MF	30F	31	30					
1/48	0/6	31MF	32F	31	32					
1/37	0/8, 0/10	31MF	32F	31	32					
59	0/53, 0/8	31MF	32F	31	32					
1/20	0/3	29MF	30F	29						
1/32	0/0, 0/4	29MF	30F	29						
1/35	0/6, 0/53	31MF	32F	31	32					
1/22	0/5, 0/53	31MF	32F	31	32					
1/25	0/8, 0/53	31MF	32F	31	32					
53	0/53, 0/6	31MF	32F	31	32					
1/27	0/10, 0/11		33F		34					
62	0/11		33F		34					

Major Dent V A1-D4 (Female Molds)Anteriors

Major Dent V A1-D4 teeth are designed with European aesthetics combined with functional characteristics. Major Dent equates premium quality with an economical price. Available in the following shades: A1, A2, A3, A3.5, A4, B2, B3, B4, C1, C2, C4 and D4.






HOW TO SELECT PROPER MAJOR DENT FEMALE ANTERIOR MOLDS


Mold selection methods based on a Justi (American Tooth Industries) U.S. Patent Filing Serial #75/545,949. Major Dent V Anterior Maxillary mold choices are based on four well known reference methods which are suggested to end users to facilitate denture fabrication.

Interpupillary width method.




1

Nose ala method.



Known lower anterior central width method.



Superior cast triangle perimeter method.



Upper anterior central width range Interpupillary width Mold • Form 46/49 6.90/7.60 5-17 2-33A 3A-35A 50/52 7.60/8.00 5-17 10-24 35A 53/54 8.00/8.30 10-38A-36 18A-8A 55/56 8.30/8.60 36-30A 27A 16 57/61 8.60/9.40 19A 37A 39-29A-40A

Nose ala width range	Upper an mold arcl		Mold • Form	
mm	mm	A	•	
30/31	37.5/40.7	-	-	-
32	40.4/43.2	22-10-3A	3A	-
33	42.2/44.5	12-18A-17-16-19A	24-38A-36-37A-30A	35A-7A-27A-39-29
34/35	44.0/47.2	18A-8A-17-16-19A	24-38A-36-37A-30A	35A-7A-27A-39-29
36/37	46.7/49.8	19A-	-	27A-39-40A-45A
Lower Ant.	Upper an	terior	Mold • Form	

Lower Ant. centralwidth range	Upper an mold arcl		Mold • Form				
mm	mm	A	•				
4.5/4.7	6.70/7.60	5-17	2-33A	3A-35A			
4.8/4.9	7.20/8.00	22-12-18A-5-17	2-10-33A-24	3A-35A-7A			
5.0/5.1	7.50/8.30	22-12-18A-5-8A-17	10-24-38A-36-30A	7A-27A			
5.2/5.3	7.80/8.50	12-18A-8A-16	10-24-38A-36-30A	7A-27A			
5.4/5.7	8.30/9.30	16-18A	36-37A-35A	27A-39-29A-40A			
Perimeter range	Upper an mold arcl		Mold • Form				
mm	mm	A	_	_			
	111111		•				
111/120	36.7/40.0	-	-	-			
111/120 120/125		- 22	- 2	- 3A			
	36.7/40.0	- 22 22-5	- 2 22-33A-10	- 3A			
120/125	36.7/40.0 40.0/42.0		_	- 3A - 35A-7A			
120/125 126/130	36.7/40.0 40.0/42.0 42.0/43.3	22-5	22-33A-10	-			
120/125 126/130 130/135	36.7/40.0 40.0/42.0 42.0/43.3 43.3/45.3	22-5	22-33A-10 33A-24-38A-36	35A-7A			

Complete Articulation Chart										
	ANTERIORS	_		POSTERIORS						
	Articulates	0	10	20	33					
Upper	Lower	Degree	Degree	Degree	Degree					
Molds	Anteriors				Anatomical					
MAJ	JOR DENT V		Tr	iplex MSLV						
22	22	29MF	30F	29M or 29L	30					
12	7A	29MF	30F	29M or 29L	30					
18A	7A	31MF	30F	31	30					
5	5	31MF	30F	31	30					
8A	8A 36	31MF	30F	31	30					
17	5 36	31MF	30F	31	30					
16	27A 5	31MF	30F	31	30					
19A	19 16	31MF	32F	31	32					
2	22 3A	29MF	30F	29	30					
10	22 10	29MF	30F	29	30					
33A	10 7A	29MF	30F	29	30					
24	36 37A	29MF	30F	29	30					
38A	5 8A	31MF	30F	31	30					
36	27A 36	31MF	30F	31	30					
37A	37A	31MF	32F	31	32					
30A	16 40A	31MF	32F	31	32					
3A	22 3A	29MF	30F	29	30					
35A	36 37A	31MF	30F	31	30					
7A	7A	31MF	30F	31	30					
27A	27A 37A	31MF	30F	31	30					
39	5 36	31MF	32F	31	32					
29A	27A 36	31MF	32F	31	32					
40A	19A 40A		33F		34					
45A	19A		33F		34					

Justi Triplex MSLV Posteriors (0°-10°-20°-33° Cusps)

Manufactured by Justi in California using the hardest materials available today. They are fabricated with multi-layered intersectional polymer network resin. No diatoric retention necessary. 100% bondability with methyl methacrylate denture base material. Vacuum processed for eliminating residue of monomer so that teeth are resistant to flame in wax-up's. Superbly articulated cusps. Available in 10°, 20°, 33° and 0° for functional appliances. The line is produced in 12 shades A1 through D4 to be used with Super Lux V and

Major Dent V Anterior teeth. This combination creates a unique line of teeth which feature European aesthetics and U.S. design and functionality required by sophisticated end-users. Triplex posteriors meet and exceed ANSI/ADA Specification #15

published in 1999 and ISO 3336.

10° Posteriors - 3 Upper & 3 Lower Molds



20° Posteriors - 4 Upper & 4 Lower Molds

29M 29.1 31.5	GB444489	31M 31.1 33.5	GB111189
29 L 29.1		31L 31.1	-
31.5		33.5	

31.5		3	33.5	
	33° Anatomical Posterio	rs - 3 Upp	per &	3 Lower Molds
30M 29.9 32.9	06111100	2	31.9 35.9	66444466
Mo Total Wic Upp Total Wid Low	within +/- 3% of actual size.		34M 34.0 38.0	66444460





TRIPLEX $^{\text{TM}}$ MSLV SYSTEM ORDER FORM SUPER LUX V • MAJOR DENT V • TRIPLEX MSLV

Order I	No.:				Date	e:			Cust	. # _		
Bill To:												
Address												
City: _									Z	Zip _		
Phone										•		
Ship To												
Address	s:											
City: _						Sta	te:		Z	 Zip		
					CLID	PED 1	$\mathbf{I} \mathbf{I} \mathbf{V}$	V		1 -		
1	1 X 6		22	UPP	ER Al	NTER	IOR I	MOLI	OS			Boxes
MOLD 50	A1	A2	A3	A3.5	A4	B2	В3	B4	C1	C2	C4	D4
1/44												
1/13 1/47												
1/17												
1/40 1/49												
1/30												
56												
58 52				\vdash		\vdash				\vdash		
1/48												
1/37 59												
1/20												
1/32												
1/22												
1/25 53												
1/27												
TOTAL												
					SU	PER 1	UX V	r	1			
	1 X 6		9 I	OWI	ER AN	NTER	IOR I	MOLI	OS		□ F	Boxes
MOLD 0/3	A1	A2	A3	A3.5	A4	B2	В3	B4	C1	C2	C4	D4
0/4												
0/5												
0/6												
0/53												
0/8												
0/11 TOTAL												
TOTAL Super Lux V	Anterio	r Cards (1 X 6) -	18 card	ls per bo	к.	Major D	ent V An	terior Ca	rds (1 X	6) - 18	cards per l
Total Upper						2	Total Up					
Total Lower					╡,		Total Lo	-				\neg
Total Anteri	iors 1 X	6			\neg		Total An	teriors 1	X 6			
Item #085	-01477	/V				L	Item #0	85-015	77			
Triplex Post			8) - 8 ca	rds per l	oox.							
Total Upper							tem #08			E	luc	n i
Total Lower	Posterio	ors 1 X 8	3		$\overline{}$		Friplex S			E	1 (((
Total Poster	iors 1 X	8				3	SLV, MD	,, itibi	ICA .	Ę	Hollyv Teet	
Itom #002	51.01	0.1										
Item #083	-51-01	UΙ										

Signed: _

2 _	1 77		2 /	l	MAJO	OR D	ENT	V	20			D
MOLD	1 X A1	6 A2	24 A3	UPPI A3.5	ER AN	B2	IOR N B3	MOLI B4	OS C1	C2	C4	Boxes D4
22	111	114	ΛJ	11.).)	A4	DZ.	לם	D-H	CI	- C2	C4	D4
12 18A												
5												
8A 17												
16												
19A 2												
10												
33A 24												
38A												
36 37A												
30A												
3A 35A												
7A												
27A												
39 29A												
40A												
45A TOTAL												
				1	ΜΔΙΟ	OR D	FNT	V				
□ 1 X 6			12			NTER			DS			Boxes
MOLD	A1	A2	A3	A3.5	A4	B2	В3	B4	C1	C2	C4	D4
3A 5												
7A												
8A 10												
16												
19A 22												
27A												
36 37A												
40A												
TOTAL												
3						PLEX						
	1 X		$\overline{}$			R UP				G: 1		Boxes
MOLD 29MF	A1	A2	A3	A3.5	A4	B2	В3	B4	C1	C2	C4	D4
31MF												
30F 32F												
33F												
29M 29L												
31M												
31L 30M												
30M 32M												
34M												
TOTAL												
□ 1 X 8			12 F			PLEX R LO			D¢			Boyon
MOLD MOLD	Λ1	A2		A3.5	A4	B2	B3	MOL B4		C2		Boxes
29MF	A1	AZ	A3	Λ3.)	Λ4	DZ	DϽ	D4	C1	CZ	C4	D4
31MF												
30F 32F												
33F												
29M 29L												
31M												
31L 30M												
32M												
34M TOTAL												
-011111												



American Tooth Industries

JUSTI, POZZI, MAJOR AMERICA, LEONEAMERICA & REGAL DENTAL PRODUCTS DIVISIONS

1200 Stellar Drive • Oxnard, CA USA 93033-2404 • (805) 487-9868 TOLL FREE (800) 235-4639 • FAX: (805) 483-8482

E-mail: info@americantooth.com • Website: www.americantooth.com